# **Tektronix**®

# Passive 10X Voltage Probe

# TPP0200, TPP0201 Datasheet



The TPP0200 and TPP0201 probes are 200 MHz, 10X passive voltage probes with 10 M $\Omega$  input resistance.

#### **Key features**

- 10X Attenuation
- 200 MHz Bandwidth
- 1.3 m Length
- UL61010-031; 2007, CAN/CSA C22.2 No. 61010-031-07, IEC61010-031; IEC 61010-031/A1:2008
- Applications:
  - Relative low-frequency measurements
  - Low-frequency computer and telecom measurements
  - Power supplies
  - Low-frequency amplifiers

## **TPP0200, TPP0201 Passive Voltage probes**

The TPP0200 and TPP0201 probes are for use on BNC oscilloscopes with 1 M $\Omega$ /13 pF (TPP0200) and 1 M $\Omega$ /20 pF (TPP0201) inputs.

# **Specifications**

All specifications are guaranteed unless noted otherwise. All specifications apply to all models unless noted otherwise.

#### **Electrical characteristics**

Bandwidth	DC to 200 MHz
Rise time	<2.3 ns (typical)
Compensation range	
TPP0200	8 pF to 18 pF
TPP0201	15 pF to 25 pF
Input resistance	$10~\text{M}\Omega~\pm1.5\%$
Input capacitance	<12 pF (typical)
Propagation delay	~6.1 ns
Maximum input voltage	300 V <sub>RMS</sub> CAT II

## **Physical characteristics**

Probe cable length 1.3 m (4.2 ft)

## EMC, environment, and safety

Temperature range

Operating -10 °C to +55 °C (14 °F to 131 °F) Nonoperating -51 °C to +71 °C (-60 °F to 160 °F)

Humidity

Operating and nonoperating 5% to 95% relative humidity (%RH) up to 30 °C (86 °F), 5% to 65% RH above +30 °C (86 °F) up to +55 °C (131 °F)

Altitude

Operating <3 km (9,842 ft) Nonoperating <12.2 km (40,026 ft)

# Ordering information

#### Models

TPP0200 For use with BNC oscilloscopes with 1 M $\Omega$ , 13 pF inputs For use with BNC oscilloscopes with 1  $M\Omega$ , 20 pF inputs **TPP0201** 

## **Probe packages**

TPP0201-PK10 10-pack of TPP0201 probes TPP0201-PK50 50-pack of TPP0201 probes

#### Standard accessories

003-1433-xx Adjustment tool 013-0362-xx Retractable hook tip 016-0633-xx Color bands, 5 pairs 016-2028-xx

Long ground spring, 2 each 196-3521-xx 6 in. alligator ground lead

## Warranty

One-year warranty covering all parts and labor.

#### Recommended accessories

013-0363-xx Micro hook tip 013-0366-xx Universal IC cap

013-0367-xx BNC-to-probe tip adapter, unterminated

016-2016-xx PCB-to-probe tip adapter, 10-pack

016-2034-xx Short ground spring, 2 each

131-8831-xx Compact probe-tip chassis mount

196-3198-xx 6 in. clip-on ground lead with 0.025 in. pin receptacle

196-3512-xx 12 in. alligator ground MicroCKT test tip 206-0569-xx



Tektronix is registered to ISO 9001 and ISO 14001 by SRI Quality System Registrar.

#### **Datasheet**

ASEAN / Australasia (65) 6356 3900 Belgium 00800 2255 4835\* Central East Europe and the Baltics +41 52 675 3777 Finland +41 52 675 3777 Hong Kong 400 820 5835 Japan 81 (3) 6714 3086 Middle East, Asia, and North Africa +41 52 675 3777 People's Republic of China 400 820 5835 Republic of Korea +822 6917 5084, 822 6917 5080 Spain 00800 2255 4835\* Taiwan 886 (2) 2656 6688 Austria 00800 2255 4835\*
Brazil +55 (11) 3759 7627
Central Europe & Greece +41 52 675 3777
France 00800 2255 4835\*
India 000 800 650 1835
Luxembourg +41 52 675 3777
The Netherlands 00800 2255 4835\*
Poland +41 52 675 3777
Russia & CIS +7 (495) 6647564
Sweden 00800 2255 4835\*
United Kingdom & Ireland 00800 2255 4835\*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777
Canada 1 800 833 9200
Denmark +45 80 88 1401
Germany 00800 2255 4835\*
Italy 00800 2255 4835\*
Mexico, Central/South America & Caribbean 52 (55) 56 04 50 90
Norway 800 16098
Portugal 80 08 12370
South Africa +41 52 675 3777
Switzerland 00800 2255 4835\*

USA 1 800 833 9200

\* European toll-free number. If not accessible, call: +41 52 675 3777

For Further Information. Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit www.tek.com.

Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.

02 Oct 2018 51W-25681-3

www.tek.com

